

qualtrics



Determining Sample Size

*How to Ensure You Get the
Correct Sample Size*

Scott M. Smith, Ph.D.

How many responses do you really need? This simple question is a never-ending quandary for researchers. A larger sample can yield more accurate results — but excessive responses can be pricey.

Consequential research requires an understanding of the statistics that drive sample size decisions. A simple equation will help you put the migraine pills away and sample confidently.

Before you can calculate a sample size, you need to determine a few things about the target population and the sample you need:

1. Population Size — How many total people fit your demographic? For instance, if you want to know about mothers living in the US, your population size would be the total number of mothers living in the US. Don't worry if you are unsure about this number. It is common for the population to be unknown or approximated.

2. Margin of Error (Confidence Interval) — No sample will be perfect, so you need to decide how much error to allow. The confidence interval determines how much higher or lower than the population mean you are willing to let your sample mean fall. If you've ever seen a political poll on the news, you've seen a confidence interval. It will look something like this: "68% of voters said yes to Proposition Z, with a margin of error of +/- 5%."

3. Confidence Level — How confident do you want to be that the actual mean falls within your confidence interval? The most common confidence intervals are 90% confident, 95% confident, and 99% confident.

4. Standard of Deviation — How much variance do you expect in your responses? Since we haven't actually administered our survey yet, the safe decision is to use .5 – this is the most forgiving number and ensures that your sample will be large enough.

Okay, now that we have these values defined, we can **calculate our needed sample size**.

Your confidence level corresponds to a Z-score. This is a constant value needed for this equation. Here are the z-scores for the most common confidence levels:

- 90% – Z Score = 1.645
- 95% – Z Score = 1.96
- 99% – Z Score = 2.326

If you choose a different confidence level, use the Z-score table below to find your score.

Next, plug in your Z-score, Standard of Deviation, and confidence interval into this equation:*

$$| \text{ Necessary Sample Size} = (Z\text{-score})^2 * StdDev*(1-StdDev) / (\text{margin of error})^2$$

Here is how the math works assuming you chose a 95% confidence level, .5 standard deviation, and a margin of error (confidence interval) of +/- 5%.

$$\begin{aligned}
 & ((1.96)^2 \times .5(.5)) / (.05)^2 \\
 & (3.8416 \times .25) / .0025 \\
 & .9604 / .0025 \\
 & 384.16 \\
 & 385 \text{ respondents are needed}
 \end{aligned}$$

Voila!

You’ve just determined your sample size.

If you find your sample size is too large to handle, try slightly decreasing your confidence level or increasing your margin of error – this will increase the chance for error in your sampling, but it can greatly decrease the number of responses you need.

*This equation is for an unknown population size or a very large population size. If your population is smaller and known, just use the calculator above or read page 7 of this document.

Need help finding a qualified panel for your survey? With [Qualtrics Panels](#), we’ll find your target respondents for the best price, and manage it from start to finish.

APPENDIX 1 Z Score Table - chart value corresponds to area below z score.

z	0.09	0.08	0.07	0.06	0.05	0.04	0.03	0.02	0.01	0.00
-3.4	0.0002	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
-3.3	0.0003	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0005	0.0005	0.0005
-3.2	0.0005	0.0005	0.0005	0.0006	0.0006	0.0006	0.0006	0.0006	0.0007	0.0007
-3.1	0.0007	0.0007	0.0008	0.0008	0.0008	0.0008	0.0009	0.0009	0.0009	0.0010
-3.0	0.0010	0.0010	0.0011	0.0011	0.0011	0.0012	0.0012	0.0013	0.0013	0.0013
-2.9	0.0014	0.0014	0.0015	0.0015	0.0016	0.0016	0.0017	0.0018	0.0018	0.0019
-2.8	0.0019	0.0020	0.0021	0.0021	0.0022	0.0023	0.0023	0.0024	0.0025	0.0026
-2.7	0.0026	0.0027	0.0028	0.0029	0.0030	0.0031	0.0032	0.0033	0.0034	0.0035
-2.6	0.0036	0.0037	0.0038	0.0039	0.0040	0.0041	0.0043	0.0044	0.0045	0.0047
-2.5	0.0048	0.0049	0.0051	0.0052	0.0054	0.0055	0.0057	0.0059	0.0060	0.0062
-2.4	0.0064	0.0066	0.0068	0.0069	0.0071	0.0073	0.0075	0.0078	0.0080	0.0082
-2.3	0.0084	0.0087	0.0089	0.0091	0.0094	0.0096	0.0099	0.0102	0.0104	0.0107
-2.2	0.0110	0.0113	0.0116	0.0119	0.0122	0.0125	0.0129	0.0132	0.0136	0.0139
-2.1	0.0143	0.0146	0.0150	0.0154	0.0158	0.0162	0.0166	0.0170	0.0174	0.0179
-2.0	0.0183	0.0188	0.0192	0.0197	0.0202	0.0207	0.0212	0.0217	0.0222	0.0228
-1.9	0.0233	0.0239	0.0244	0.0250	0.0256	0.0262	0.0268	0.0274	0.0281	0.0287
-1.8	0.0294	0.0301	0.0307	0.0314	0.0322	0.0329	0.0336	0.0344	0.0351	0.0359
-1.7	0.0367	0.0375	0.0384	0.0392	0.0401	0.0409	0.0418	0.0427	0.0436	0.0446
-1.6	0.0455	0.0465	0.0475	0.0485	0.0495	0.0505	0.0516	0.0526	0.0537	0.0548
-1.5	0.0559	0.0571	0.0582	0.0594	0.0606	0.0618	0.0630	0.0643	0.0655	0.0668
-1.4	0.0681	0.0694	0.0708	0.0721	0.0735	0.0749	0.0764	0.0778	0.0793	0.0808
-1.3	0.0823	0.0838	0.0853	0.0869	0.0885	0.0901	0.0918	0.0934	0.0951	0.0968
-1.2	0.0985	0.1003	0.1020	0.1038	0.1056	0.1075	0.1093	0.1112	0.1131	0.1151
-1.1	0.1170	0.1190	0.1210	0.1230	0.1251	0.1271	0.1292	0.1314	0.1335	0.1357
-1.0	0.1379	0.1401	0.1423	0.1446	0.1469	0.1492	0.1515	0.1539	0.1562	0.1587
-0.9	0.1611	0.1635	0.1660	0.1685	0.1711	0.1736	0.1762	0.1788	0.1814	0.1841
-0.8	0.1867	0.1894	0.1922	0.1949	0.1977	0.2005	0.2033	0.2061	0.2090	0.2119
-0.7	0.2148	0.2177	0.2206	0.2236	0.2266	0.2296	0.2327	0.2358	0.2389	0.2420
-0.6	0.2451	0.2483	0.2514	0.2546	0.2578	0.2611	0.2643	0.2676	0.2789	0.2743
-0.5	0.2776	0.2810	0.2843	0.2877	0.2912	0.2946	0.2982	0.3015	0.3050	0.3085
-0.4	0.3121	0.3156	0.3192	0.3228	0.3264	0.3300	0.3336	0.3372	0.3409	0.3446
-0.3	0.3483	0.3520	0.3557	0.3594	0.3632	0.3669	0.3707	0.3745	0.3783	0.3821
-0.2	0.3859	0.3897	0.3936	0.3974	0.4013	0.4052	0.4090	0.4129	0.4168	0.4207
-0.1	0.4247	0.4286	0.4325	0.4364	0.4404	0.4443	0.4483	0.4522	0.4562	0.4602
-0.0	0.4641	0.4681	0.4721	0.4761	0.4801	0.4840	0.4880	0.4920	0.4960	0.5000

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.90
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8505	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9121	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9642	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9759	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998

APPENDIX 2

Determining the Sample Size

Just as the fpc factor is used to develop confidence interval estimates, it also is used to determine sample size when sampling without replacement. For example, in estimating the mean, the sampling error is

$$e = Z \frac{\sigma}{\sqrt{n}} \sqrt{\frac{N-n}{N-1}}$$

and in estimating the proportion, the sampling error is

$$e = Z \sqrt{\frac{p(1-p)}{n}} \sqrt{\frac{N-n}{N-1}}$$

To determine the sample size in estimating the mean or the proportion

$$n_0 = \frac{Z^2 \sigma^2}{e^2} \quad \text{and} \quad n_0 = \frac{Z^2 p(1-p)}{e^2}$$

where n_0 is the sample size without considering the finite population correction factor. Applying the fpc factor results in the actual sample size n

Sample size determination using the finite population correction factor

$$n = \frac{n_0 N}{n_0 + (N - 1)}$$

In determining the sample size for Saxon Home Improvement Company, a sample size of 97 was needed (rounded up from 96.04) for the mean and a sample of 100 (rounded up from 99.96) was needed for the proportion. Using the fpc factor for the mean, with $N = 5,000$, $e = \$5$, $S = \$25$, and $Z = 1.96$ (for 95% confidence), leads to

$$n = \frac{(96.04)(5,000)}{96.04 + (5,000 - 1)} = 94.24$$

Thus, $n = 95$. Using the fpc factor for the proportion, with $N = 5,000$, $e = 0.07$, $p = 0.15$, and $Z = 1.96$ (for 95% confidence),

$$n = \frac{(99.96)(5,000)}{99.96 + (5,000 - 1)} = 98.02$$

Thus, $n = 99$. To satisfy both requirements simultaneously with one sample, the larger sample size of 99 is needed. PHStat output is displayed in *Figure 8.30*.

	A	B
1	Sample Size for Estimating the Mean	
2		
3	Population Standard Deviation	25
4	Sampling Error	5
5	Confidence Level	95%
6	Z Value	-1.95996108
7	Calculated Sample Size	96.03618611
8	Sample Size Needed	97
9		
10		
11	Finite Populations	
12	Population Size	5000
13	Sample Size with FPC	94.24485185
14	Sample Size Needed	95

Figure 8.30

Sample size for estimating the mean sales invoice amount with the finite population correction for the Saxon Home Improvement Company.

This page has been taken from another source. To view, [click this link](#).

qualtrics

Qualtrics is the world's leading enterprise survey technology provider.

That's the classy way of saying we help you get the data and insight you need to make better decisions.

To create a free account, visit www.qualtrics.com

